

10/547063

JC12 Rec'd PCT/PTC 25 AUG 2005

104917-2-WCG

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants : Gregor DUDZIAK, et al.  
Serial No. : TBA (371 of PCT/EP04/001831)  
Filed : Herewith (Intl Filing February 25, 2004)  
For : CERAMIC NANOFILTRATION MEMBRANE FOR USE  
IN ORGANIC SOLVENTS AND METHOD FOR THE  
PRODUCTION THEREOF  
Art Unit : TBA  
Examiner : TBA

---

August 25, 2005

Mail Stop PCT  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450


Sir:

LETTER TO THE OFFICIAL DRAFTSMAN

Submitted herewith for entry and approval are 3 sheets of formal drawings (FIGS. 1-3) in the  
above-referenced application.

Respectfully submitted,

NORRIS, McLAUGHLIN & MARCUS, P.A.

By   
William C. Gerstenzang  
Reg. No. 27,552


WCG/zs

Enc. - Formal Drawings (3 sheets)

875 Third Avenue, 18<sup>th</sup> Floor  
New York, NY 10022  
Phone: (212) 808-0700  
Fax: (212) 808-0844

I hereby certify that this correspondence is being deposited with the  
United States Postal Services as Express Mail, Label #  
EV596388044US in an envelope addressed to: Commissioner For  
Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

NORRIS, McLAUGHLIN & MARCUS, P.A.

By   
Zsuzsa Schuster  
Date August 25, 2005

Title: CERAMIC NANOFILTRATION MEMBRANE FOR USE IN ORGANIC SOLVENTS AND METHOD FOR THE PRODUCTION THEREOF

Applicant: Gregor DUDZIAK, et al.

Serial No.: TBA (371 of PCT/EP04/001831)

Attorney Docket No: 104917-2-WCG


NORRIS, MC LAUGHLIN & MARCUS, P.A.

William C. Gerstenzang

(212) 808-0700

1/3

Figure 1.



Permeate flow of a 3 nm  $\text{ZrO}_2$  membrane without and with hydrophobing with n-octyldimethylchlorosilane in the liquid phase.

Title: CERAMIC NANOFILTRATION MEMBRANE FOR USE IN ORGANIC SOLVENTS AND METHOD FOR THE PRODUCTION THEREOF

Applicant: Gregor DUDZIAK, et al.

Serial No.: TBA (371 of PCT/EP04/001831)

Attorney Docket No: 104917-2-WCG


NORRIS, MC LAUGHLIN & MARCUS, P.A.

William C. Gerstenzang

(212) 808-0700

2/3

Figure 2.



Permeate flow of a 5 nm  $\text{TiO}_2$  membrane without hydrophobing and with hydrophobing with tetradecafluoro-1,1,2,2-tetrahydrooctyltrichlorosilane in the liquid phase with and without vacuum support.

Title: CERAMIC NANOFILTRATION MEMBRANE FOR USE IN ORGANIC SOLVENTS AND METHOD FOR THE

PRODUCTION THEREOF

Applicant: Gregor DUDZIAK, et al.

Serial No.: TBA (371 of PCT/EP04/001831)

Attorney Docket No: 104917-2-WCG


NORRIS, MC LAUGHLIN & MARCUS, P.A.

William C. Gerstenzang

(212) 808-0700

3/3

Figure 3.



Permeate flow of a 3 nm  $\text{ZrO}_2$  membrane without and with hydrophobing with trimethylchlorosilane in the gas phase.